

GFD-R-P.xxx
SAGA-RG
Steve Fisher
Ole Weidner

Andre Merzky¹
Mark Santcroos

Version: 1.0

October 15, 2012

SAGA API Bindings: Python

Status of This Document

This document provides information to the grid community, proposing a standard for a Python language binding to the Simple API for Grid Applications (SAGA). As SAGA language binding, it depends upon the SAGA Core API Specification [1], and on the so-far defined SAGA API extension packages [?]. This document is supposed to be used as reference for implementors of this language bindings. Distribution of this document is unlimited.

FIXME: run_job only supports interactive jobs.

Copyright Notice

Copyright © Open Grid Forum (2007-2010). All Rights Reserved.

Abstract

...

¹editor

Contents

| | | |
|----------|---|-----------|
| 1 | Introduction | 3 |
| 1.1 | Notational Conventions | 3 |
| 1.2 | Security Considerations | 3 |
| 2 | SAGA Python Bindings | 4 |
| 2.1 | Class Hierarchy Considerations | 4 |
| 2.2 | SAGA Attributes and Python Properties | 5 |
| 2.3 | Attribute Value Types | 6 |
| 2.4 | Enums and Defines | 6 |
| 2.5 | Comparison to PySAGA a SAGA-Python | 7 |
| 3 | Example Code | 8 |
| 4 | Intellectual Property Issues | 9 |
| 4.1 | Contributors | 9 |
| 4.2 | Intellectual Property Statement | 9 |
| 4.3 | Disclaimer | 9 |
| 4.4 | Full Copyright Notice | 10 |
| | References | 11 |
| A | Python Binding as Interface Code | 11 |

1 Introduction

1.1 Notational Conventions

In structure, notation and conventions, this documents follows those of the SAGA Core API specification [1], unless noted otherwise.

1.2 Security Considerations

As the SAGA API is to be implemented on different types of Grid (and non-Grid) middleware, it does not specify a single security model, but rather provides hooks to interface to various security models – see the documentation of the `saga::context` class in the SAGA Core API specification [1] for details.

A SAGA implementation is considered secure if and only if it fully supports (i.e. implements) the security models of the middleware layers it builds upon, and neither provides any (intentional or unintentional) means to by-pass these security models, nor weakens these security models' policies in any way.

2 SAGA Python Bindings

This section will motivate and discuss the general design principles for the SAGA Python bindings. That results in a set of rules which prescribe the translation of the SAGA API as specified in GFD.90 and in the SAGA API Extension specification documents. Those rules SHOULD also be applied to future SAGA API extensions.

The explicit python bindings are listed as Python module and class prototypes in appendix A.

2.1 Class Hierarchy Considerations

The SAGA API defines an interface and object hierarchy. While we expect that language bindings will, in general, follow that hierarchy for consistency and also for practical reasons, it is that case for Python that a strict insistence on that hierarchy is neither required nor useful.

As other language bindings (i.e. C++, Java), the package names will not be part of the module hierarchy for the SAGA Core Look&Feel classes. For functional API packages, the package name is part of the module path: i.e., `saga.Context` instead of `saga.context.Context`, but `saga.job.Service` instead of `saga.JobService`.

In particular, Python's prevalent duck-typing paradigm [?] encourages to ignore strict object and interface hierarchies, and instead supports to flatten those into the actual object implementations. The paragraphs below discuss the cases where this is used or supported by the SAGA Python bindings.

2.1.1 SAGA Object Interface

Most SAGA classes as specified in GFD.90 inherit from the base `saga.object` class. That class provides a unique object ID for class instances, deep copy semantics, object type inspection and access to the `saga.session` instance which manages that object.

Python provides most of these facilities natively: it has type inspection and unique object IDs, and the core python library comes with a generic deep copy call. The python bindings are thus not expected to implement the `saga.object` class, but CAN attach the remaining `get_session()` method directly to the respective object types (for reasons discussed later, the session will also be exposed as object property).

FIXME: add back-reference

2.1.2 SAGA Namespace Package

The GFD.90 'namespace' package defines a common interface for several downstream packages which, amongst others, interface to entities organized in namespaces, such as physical files, logical files (replicas), information services, etc. As the namespace package thus functions as an interface package, implementations MAY flatten it into the respective deriving class implementations. While that would not allow to directly instantiate namespace class entities, Python's duck typing and loose type system would still allow to interchangeably use derivatives interchangeably. Implementations thus MAY flatten the namespace classes into inheriting packages.

FIXME: But, why is it an **advantage** to flatten the ns package?

2.1.3 SAGA Buffer Class

The `saga.Buffer` class of GFD.90 is used for a variety of I/O operations, on streams, files, messages, RPC-calls etc. Its primary purpose (as opposed to using plain data arrays) is to support both implementation and user managed memory segments, and thus to support zero copy implementations for I/O operations.

Python applications traditionally tend not to interfere with Python level memory management, and zero copy implementations are not a first level concern. The Python bindings thus flatten the `buffer` class into plain data arrays (strings actually, which can contain encoded data), e.g. for file I/O, or flattens the buffer semantics into inheriting classes, e.g. for the `rpc.Parameter` and `message.Message` classes.

2.2 SAGA Attributes and Python Properties

Python's native way to express class attributes is to expose them as class or object properties. The SAGA Python bindings follow that model. SAGA Attributes have, however, as lightly different semantic in most cases: they do not represent attributes of the local application class instance, but mostly properties of remote entities that these class instances represent. In that context, it must be noted that

- cannot be accessed via asynchronous operations,
- cannot be monitored via callbacks,

- cannot be inspected for vector / scalar types,
- cannot be listed (?),
- may not be extensible (unlike in python proper).

For those reasons, a GFD.90-like attribute interface is also provided in Python. Following similar arguments, the property interface is also provided as complement to various `get_xyz()` methods (readonly), and to `get_xyz()/set_xyz()` pairs (read/write). Finally, the property interface is in some cases used to expose local object state in general. For example, a `saga.Session` object will expose a `'contexts'` list as properties, whose manipulation maps to the default `add_context()/remove_context()` methods.

Another way to expose attributes in Python is the dict(ionary) interface. Compared to the property interface, a dict additionally allows inspection of and iteration over attribute keys. Despite that additionally exposed semantics (which maps well to the GFD.90 attribute semantics), the SAGA Python bindings will not be expressed via the dict interface, to keep the binding focused and simple.

As in GFD.90, attribute and metric names are specified in 'CamelCase'. As per Python convention [?], property names are changed to `'under_score'` notation.

2.3 Attribute Value Types

GFD.90 defines the attribute value types, but explicitly maps those to strings. As Python provides flexible and Transparent means of type conversion, the Python bindings support natively typed attribute values.

The `saga.job.Description`'s `Environment` attribute is types as list of strings, where the strings are formatted as `"key=value"`. Additionally, the Python bindings allow to express that attribute's value as a python dictionary.

2.4 Enums and Defines

The SAGA API includes a number of enums, which are usually related to classes within a specific API package. Python does not have a native notion of enums – those are commonly [?] expressed as module variables. This is also reflected in the present Python bindings.

Further, GFD.90 recommends bindings to define constants expressions for pre-defined attribute and metric names. Those are also defined as module variables.

Note that module variables (enums and string defines) are in all `UPPER_CASE`, as suggested by [?].

2.5 Comparison to PySAGA a SAGA-Python

The Python bindings as defined in this document deviate slightly from the existing Python implementations of SAGA, namely PySAGA, SAGA-Python and Bliss – after all, the explicit purpose of this document is to reconcile the various existing SAGA Python APIs. As PySAGA is the API closest to the binding described here, and its binding is well documented [?] and motivated [?], we here only detail the differences to PySAGA. Compared to the PySAGA API, this document

FIXME: add refs, also in intro.

- contains updates to synchronize the API with GFD.90 errata;
- changes the attribute interface from `Attributes.attributes['key']` to `Attributes.key`;
- removes the `Buffer` and `StdIO` classes, replacing them with strings;
- allow implementations to flatten interfaces into inheriting classes;
- define enum constants on module level, in `UPPER_CASE` notation;
- remove naming redundancies, such as `job.JobDescription` vs. `job.Description` etc.

3 Example Code

4 Intellectual Property Issues

4.1 Contributors

This document is the result of the joint efforts of many contributors. The author listed here and on the title page is the one taking responsibility for the content of the document, and all errors. The editor (underlined) is committed to taking permanent stewardship for this document and can be contacted in the future for inquiries.

Your Name

you@mail.net

Some Institution or Company

or Whatever...

123 Some Street

45678 Some Place

Some Where

4.2 Intellectual Property Statement

The OGF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the OGF Secretariat.

The OGF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this recommendation. Please address the information to the OGF Executive Director.

4.3 Disclaimer

This document and the information contained herein is provided on an "As Is" basis and the OGF disclaims all warranties, express or implied, including but not limited to any warranty that the use of the information herein will not infringe any rights or any implied warranties of merchantability or fitness for a particular purpose.

4.4 Full Copyright Notice

Copyright (C) Open Grid Forum (2007). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the OGF or other organizations, except as needed for the purpose of developing Grid Recommendations in which case the procedures for copyrights defined in the OGF Document process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the OGF or its successors or assignees.

References

- [1] T. Goodale, S. Jha, H. Kaiser, T. Kielmann, P. Kleijer, A. Merzky, J. Shalf, and C. Smith. GFD.90 – SAGA Core API Specification. OGF Proposed Recommendation, Open Grid Forum, 2007.

A Python Binding as Interface Code

```
# Core API: saga/exception.py
# =====

class SagaException (Exception) :
    __init__      (self, message, object) : pass # check GFD.90
    get_message   (self) : pass # string
    get_object    (self) : pass # <Object>
    get_traceback (self) : pass # string

    message = property (get_message)
    object  = property (get_object)
    traceback = property (get_traceback)

class NotImplemented      (SagaException) : pass
class IncorrectURL        (SagaException) : pass
class BadParameter        (SagaException) : pass
class AlreadyExists       (SagaException) : pass
class DoesNotExist        (SagaException) : pass
class IncorrectState      (SagaException) : pass
class PermissionDenied     (SagaException) : pass
class AuthorizationFailed (SagaException) : pass
class AuthenticationFailed (SagaException) : pass
class Timeout             (SagaException) : pass
class NoSuccess            (SagaException) : pass
```

```
# Core API: saga/object.py
# =====

# The saga.Object class in python would be almost empty, as get_type()
# is not needed (python has type inspection); get_id() is not needed
# (python object instances have IDs); and clone() is not needed
# (python core library provides deep copy) -- the last call,
# get_session(), can easily be added to all session managed saga
# objects.
```

```
# Core API: saga/url.py
# =====

class Url (object) :
    def __init__      (self, url)      : pass # None
    def set_string     (self, name)     : pass # None
    def get_string     (self)           : pass # string
    def set_scheme     (self, scheme)   : pass # None
    def get_scheme     (self)           : pass # string
    def set_host       (self, host)     : pass # None
    def get_host       (self)           : pass # string
    def set_port       (self, port)     : pass # None
    def get_port       (self)           : pass # int
    def set_fragment   (self, fragment) : pass # None
    def get_fragment   (self)           : pass # string
    def set_path       (self, path)     : pass # None
    def get_path       (self)           : pass # string
    def set_query       (self, query)   : pass # None
    def get_query       (self)           : pass # string
    def set_userinfo    (self, userinfo) : pass # None
    def get_userinfo    (self)           : pass # string
    def translate       (self, scheme)   : pass # URL

    string  = property (get_string,  set_string )
    scheme  = property (get_scheme,  set_scheme )
    host    = property (get_host,    set_host   )
    port    = property (get_port,    set_port   )
    fragment = property (get_fragment, set_fragment)
    path    = property (get_path,    set_path   )
    query   = property (get_query,   set_query  )
    userinfo = property (get_userinfo, set_userinfo)
```

```
# Core API: saga/context.py
# =====

# Context attributes:
# FIXME: check against GFD.90
TYPE          = "Type"
SERVER        = "Server"
CERT_REPOSITORY = "CertRepository"
USER_PROXY    = "UserProxy"
USER_CERT     = "UserCert"
USER_KEY      = "UserKey"
USER_ID       = "UserID"
USER_PASS     = "UserPass"
USER_VO       = "UserVO"
LIFETIME      = "LifeTime"
REMOTE_ID     = "RemoteID"
REMOTE_PORT   = "RemotePort"

class Context (attributes.Attributes) :
    def __init__      (self, name=None) : pass # None
    def set_defaults (self)             : pass # None
```

```
# Core API: saga/session.py
# =====

class Session (object) :
    def __init__      (self, default=True) : pass # None
    def add_context   (self, c)             : pass # None
    def remove_context (self, c)            : pass # None
    def list_contexts (self)                : pass # None
    def close         (self, timeout=None) : pass # None

    contexts = property (...)
```

```
# Core API: saga/permissions.py
# =====

# permission flags enum:
QUERY = 1
READ  = 2
WRITE = 4
EXEC  = 8
OWNER = 16
ALL   = 31

class Permissions (task.Async) :
    def permissions_allow (self, ugid, perm, ttype=None) : pass # None
    def permissions_deny  (self, ugid, perm, ttype=None) : pass # None
    def permissions_check (self, ugid, perm, ttype=None) : pass # bool
    def get_owner         (self,                ttype=None) : pass # string
    def get_group         (self,                ttype=None) : pass # string

    owner = property (get_owner)
    group = property (get_group)
```

```
# Core API: saga/attributes.py
# =====

class Attributes (object) :
    def set_attribute      (self, key, val) : pass    # None
    def get_attribute      (self, key)      : pass    # string
    def set_vector_attribute (self, key, val) : pass    # None
    def get_vector_attribute (self, key)     : pass    # [string]
    def remove_attribute   (self, key)      : pass    # None
    def list_attributes    (self)           : pass    # [string]
    def find_attributes    (self, pattern)  : pass    # [string]
    def attribute_exists   (self, key)      : pass    # bool
    def attribute_is_readonly (self, key)   : pass    # bool
    def attribute_is_writable (self, key)    : pass    # bool
    def attribute_is_removable (self, key)  : pass    # bool
    def attribute_is_vector (self, key)     : pass    # bool

    # Attributes are also exposed as Python properties.
```

```
# Core API: saga/metric.py
# =====

# Metric attributes:
NAME      = "Name"
DESCRIPTION = "Description"
MODE      = "Mode"
UNIT      = "Unit"
TYPE      = "Type"
VALUE     = "Value"

class Callback (object) :
    def cb (self, monitorable, metric, cctx) : pass # bool

class Metric (attributes.Attributes) :
    def __init__ (self, name, desc, mode,
                    unit, type, val) : pass # None
    def add_callback (self, cb) : pass # None
    def remove_callback (self, cookie) : pass # None
    def fire (self) : pass # None

class Monitorable (object) :
    def list_metrics (self) : pass # None
    def get_metric (self, name) : pass # None
    def add_callback (self, name, cb) : pass # None
    def remove_callback (self, name, cookie) : pass # None

    metrics = property (...)

class Steerable (Monitorable) :
    def add_metric (self, metric) : pass # None
    def remove_metric (self, name) : pass # None
    def fire_metric (self, name) : pass # None
```

```

# Core API: saga/task.py
# =====

# task state enum:
NEW      = 1
RUNNING  = 2
DONE     = 3
CANCELED = 4
FAILED   = 5

# TaskContainer wait_mode enum:
ALL      = 0
ANY      = 1

# Task type enum:
SYNC     = 1
ASYNC    = 2
TASK     = 3

# Task and TaskContainer metrics:
STATE    = "state"      # FIXME: why no state_detail?

class Async () :        # tagging class
    pass

class Task (monitoring.Monitorable) :
    def run            (self)                : pass # None
    def cancel         (self, timeout=None)   : pass # None
    def wait           (self, timeout=-1)     : pass # None
    def get_state      (self)                : pass # state
    def get_result     (self)                : pass # <restype>
    def get_object     (self)                : pass # <objtype>
    def rethrow        (self)                : pass # <Exception>

    state      = property (get_state)
    result     = property (get_result)
    object     = property (get_object)
    exception  = property (get_exception)

class TaskContainer (monitoring.Monitorable) :
    # check GFD.90 for cookies
    def __init__      (self)                : pass # None
    def add            (self, task)          : pass # None
    def remove        (self, cookie)        : pass # None
    def run           (self)                : pass # None
    def wait          (self, waitmode=ALL, timeout=-1):pass # [task]
    def cancel        (self, timeout=None)   : pass # None
    def size          (self)                : pass # int
    def list_tasks    (self)                : pass # [cookies]
    def get_task      (self, cookie)        : pass # Task
    def get_tasks     (self)                : pass # [Task]
    def get_states    (self)                : pass # [state]

    size      = property (get_size)
    tasks     = property (...)
    states    = property (get_states)

```

```

# Job API Package : saga/job/job.py
# =====

# job states enum:
NEW                = task.NEW
RUNNING            = task.RUNNING
DONE               = task.DONE
CANCELED           = task.CANCELED
FAILED             = task.FAILED
SUSPENDED          = 6

# JobDescription attributes:
EXECUTABLE         = "Executable"
ARGUMENTS          = "Arguments"
SPMD_VARIATION      = "SPMDVariation"
TOTAL_CPU_COUNT    = "TotalCPUCount"
NUMBER_OF_PROCESSES = "NumberOfProcesses"
PROCESSES_PER_HOST = "ProcessesPerHost"
THREADS_PER_PROCESS = "ThreadsPerProcess"
ENVIRONMENT         = "Environment"          # dict or [string]
WORKING_DIRECTORY  = "WorkingDirectory"
INTERACTIVE        = "Interactive"
INPUT              = "Input"
OUTPUT             = "Output"
ERROR              = "Error"
FILE_TRANSFER      = "FileTransfer"
CLEANUP            = "Cleanup"
JOB_START_TIME     = "JobStartTime"
TOTAL_CPU_TIME     = "TotalCPUTime"
TOTAL_PHYSICAL_MEMORY = "TotalPhysicalMemory"
CPU_ARCHITECTURE   = "CPUArchitecture"
OPERATING_SYSTEM_TYPE = "OperatingSystemType"
CANDIDATE_HOSTS    = "CandidateHosts"
QUEUE              = "Queue"
JOB_CONTACT        = "JobContact"

# Job attributes:
JOB_ID             = "JobID"
EXECUTION_HOSTS    = "ExecutionHosts"
CREATED            = "Created"
STARTED            = "Started"
FINISHED           = "Finished"
EXIT_CODE          = "ExitCode"
TERMSIG            = "TermSig"
# WORKING_DIRECTORY = "WorkingDirectory" # collision

# Job metrics:
STATE              = "state"
STATE_DETAIL       = "state_detail"
SIGNAL             = "signal"
CPU_TIME           = "cpu_time"
MEMORY_USE         = "memory_use"
VMEMORY_USE        = "vmemory_use"
PERFORMANCE        = "performance"

```



```
class Description (attributes.Attributes) :
    pass

class Service (task.Async) :
    def __init__ (self, rm=None, s=None) : pass # None
    def create (self, rm=None, s=None, ttype=None) : pass # Task
    def create_job (self, jd, ttype=None) : pass # Job
    def run_job (self, cmd, host="", ttype=None) : pass # Job
    def list (self, ttype=None) : pass # [string]
    def get_job (self, job_id, ttype=None) : pass # Job
    def get_self (self, ttype=None) : pass # Self

class Job (task.Task, attributes.Attributes,
           task.Async, permissions.Permissions) :
    def get_job_description (self, ttype=None) : pass # Descr.
    def get_stdin (self, ttype=None) : pass # os.File
    def get_stdout (self, ttype=None) : pass # os.File
    def get_stderr (self, ttype=None) : pass # os.File
    def suspend (self, ttype=None) : pass # None
    def resume (self, ttype=None) : pass # None
    def checkpoint (self, ttype=None) : pass # None
    def migrate (self, jd, ttype=None) : pass # None
    def signal (self, signum, ttype=None) : pass # None

    stdin = property (get_stdin )
    stdout = property (get_stdout)
    stderr = property (get_stderr)

class Self (Job, monitoring.Steerable) :
    pass
```

```

# Namespace API Package: saga/namespace/namespace.py
# =====

# namespace flags enum:
OVERWRITE      = 1
RECURSIVE      = 2
DEREFERENCE    = 4
CREATE         = 8
EXCLUSIVE      = 16
LOCK           = 32
CREATE_PARENTS = 64

class Entry (permissions.Permissions, task.Async) :
    def __init__      (self, name, s=None, flags=None)           : pass # None
    def create        (self, name, s=None, flags=None, ttype=None) : pass # Task
    def get_url       (self,                               ttype=None) : pass # Url
    def get_cwd       (self,                               ttype=None) : pass # string
    def get_name      (self,                               ttype=None) : pass # string
    def is_dir_self   (self,                               ttype=None) : pass # bool
    def is_entry_self (self,                               ttype=None) : pass # bool
    def is_link_self  (self,                               ttype=None) : pass # bool
    def read_link_self (self,                               ttype=None) : pass # Url
    def copy_self     (self, tgt, flags=None, ttype=None)       : pass # None
    def link_self     (self, tgt, flags=None, ttype=None)       : pass # None
    def move_self     (self, tgt, flags=None, ttype=None)       : pass # None
    def remove_self   (self,                               flags=None, ttype=None) : pass # None
    def close         (self, timeout=None, ttype=None)         : pass # None
    def permissions_allow_self (self, id, p, flags=None, ttype=None) : pass # None
    def permissions_deny_self  (self, id, p, flags=None, ttype=None) : pass # None

    url = property (...)
    cwd = property (...)
    name = property (...)

class Directory (Entry, task.Async) :
    def change_dir    (self, url, ttype=None) : pass # None
    def list          (self, npat=".", flags=None, ttype=None) : pass # [Url]
    def find          (self, npat, flags=RECURSIVE, ttype=None) : pass # [Url]

    def exists        (self, name, ttype=None) : pass # bool
    def is_dir        (self, name, ttype=None) : pass # bool
    def is_entry      (self, name, ttype=None) : pass # bool
    def is_link       (self, name, ttype=None) : pass # bool
    def read_link     (self, name, ttype=None) : pass # Url
    def get_num_entries (self, ttype=None) : pass # int
    def get_entry      (self, enum, ttype=None) : pass # Url
    def copy           (self, src, tgt, flags=None, ttype=None) : pass # None
    def link           (self, src, tgt, flags=None, ttype=None) : pass # None
    def move           (self, src, tgt, flags=None, ttype=None) : pass # None
    def remove        (self, tgt, flags=None, ttype=None) : pass # None
    def make_dir       (self, tgt, flags=None, ttype=None) : pass # None
    def open           (self, name, flags=None, ttype=None) : pass # Entry
    def open_dir       (self, name, flags=None, ttype=None) : pass # Direct.

    def permissions_deny (self, tgt, id, p, flags=None, ttype=None) : pass # None
    def permissions_allow (self, tgt, id, p, flags=None, ttype=None) : pass # None

    num_entries = property (get_num_entries)

```

```

# Filesystem API Package: saga/filesystem/filesystem.py
# =====

# filesystem flags enum:
OVERWRITE      = 1
RECURSIVE      = 2
DEREFERENCE    = 4
CREATE         = 8
EXCLUSIVE      = 16
LOCK           = 32
CREATE_PARENTS = 64
TRUNCATE       = 128
APPEND         = 256
READ           = 512
WRITE          = 1024
READ_WRITE     = 1536
BINARY         = 2048

# filesystem seek_mode enum:
START          = 1
CURRENT        = 2
END            = 3

class File (namespace.Entry, task.Async) :
    def is_file_self (self,                ttype=None) : pass # bool
    def get_size_self (self,                ttype=None) : pass # int
    def read          (self, size=-1,       ttype=None) : pass # string
    def write         (self, data, size=-1,  ttype=None) : pass # int
    def seek          (self, off, whence=START, ttype=None) : pass # int
    def read_v        (self, off,           ttype=None) : pass # string
    def write_v       (self, data,          ttype=None) : pass # int
    def size_p        (self, pattern,       ttype=None) : pass # int
    def read_p        (self, pattern,       ttype=None) : pass # string
    def write_p       (self, pattern, data,  ttype=None) : pass # int
    def modes_e       (self,               ttype=None) : pass # [string]
    def size_e        (self, emode, spec,    ttype=None) : pass # int
    def read_e        (self, emode, spec,    ttype=None) : pass # string
    def write_e       (self, emode, spec, data, ttype=None) : pass # int

    size = property (get_size_self)

class Directory (namespace.Directory, task.Async) :
    def get_size      (self, name, flags=None, ttype=None) : pass # int
    def is_file       (self, name,           ttype=None) : pass # Bool
    def open_dir      (self, name, flags=READ, ttype=None) : pass # Directory
    def open          (self, name, flags=READ, ttype=None) : pass # File

```

```
# Replica API Package: saga/replica/replica.py
# =====

# replica flags enum:
OVERWRITE      = 1
RECURSIVE      = 2
DEREFERENCE    = 4
CREATE         = 8
EXCLUSIVE      = 16
LOCK           = 32
CREATE_PARENTS = 64
#              128 # reserved for TRUNCATE
#              256 # reserved for APPEND
READ           = 512
WRITE          = 1024
READ_WRITE     = 1536
#              2048 # reserved for BINARY

class LogicalFile (namespace.Entry, attributes.Attributes, task.Async) :
    def is_file_self    (self,                ttype=None) : pass # Bool
    def add_location    (self, name,          ttype=None) : pass # None
    def remove_location (self, name,          ttype=None) : pass # None
    def update_location (self, old, new,       ttype=None) : pass # None
    def list_locations  (self,                ttype=None) : pass # [Url]
    def replicate       (self, name, flags=None, ttype=None) : pass # None

class LogicalDirectory (namespace.Directory,
                        attributes.Attributes, task.Async) :
    def is_file         (self, name,          ttype=None) : pass # Bool
    def open_dir        (self, name, flags=READ, ttype=None) : pass # Directory
    def open            (self, name, flags=READ, ttype=None) : pass # LogicalFile
    def find            (self, name_pattern, attr_pattern,
                        flags=RECURSIVE,      ttype=None) : pass # [Url]
```

```

# Stream API Package: saga/stream/stream.py
# =====

# stream state enum:
NEW          = 1
OPEN         = 2
CLOSED       = 3
DROPPED      = 4
ERROR        = 5

# stream activity enum:
READ         = 1
WRITE        = 2
EXCEPTION    = 4

# StreamService metric
CLIENT_CONNECT = "client_connect"

# Stream attributes
TIMEOUT       = "Timeout"
BLOCKING      = "Blocking"
COMPRESSION   = "Compression"
NODELAY       = "Nodelay"
RELIABLE      = "Reliable"

# Stream metrics
STATE        = "state"
READ         = "read"
WRITE        = "write"
EXCEPTION    = "exception"
DROPPED      = "dropped"

class Service (monitoring.Monitorable, permissions.Permissions, task.Async) :
    def __init__ (self, name=None, s=None, ttype=None) : pass # None
    def create   (self, name=None, s=None, ttype=None) : pass # None
    def get_url  (self, ttype=None) : pass # Url
    def serve    (self, timeout=-1, ttype=None) : pass # Stream
    def close    (self, timeout=None, ttype=None) : pass # None

    url = property (get_url)

class Stream (attributes.Attributes, monitoring.Monitorable, task.Async) :
    def __init__ (self, name=None, s=None) : pass # None
    def create   (self, name=None, s=None, ttype=None) : pass # None
    def get_url  (self, ttype=None) : pass # Url
    def get_context (self, ttype=None) : pass # Context
    def connect  (self, ttype=None) : pass # None
    def wait     (self, what, timeout=-1, ttype=None) : pass # None
    def close    (self, timeout=None, ttype=None) : pass # None
    def read     (self, size=-1, ttype=None) : pass # string
    def write    (self, data, size=-1, ttype=None) : pass # None

    url      = property (get_url)
    context  = property (get_context)

```

```
# Remote Procedure Calls API Package: saga/rpc/rpc.py
# =====

# rpc io_mode enum:
IN    = 1
OUT   = 2
INOUT = 3

class Parameter (object) :
    def __init__      (self, data=None, size=-1, mode=IN) : pass # None
    def set_io_mode   (self, mode)                       : pass # None
    def get_io_mode   (self)                             : pass # mode
    def get_size      (self)                             : pass # int
    def set_size      (self, size)                       : pass # None
    def get_data      (self)                             : pass # string
    def set_data      (self, data)                       : pass # None
    def close         (self)                             : pass # None

    io_mode = property (get_io_mode, set_io_mode)
    size    = property (get_size, set_size)
    data    = property (get_data, set_data)

class RPC (permissions.Permissions, task.Async) :
    def __init__      (self, funcname, s=None)           : pass # None
    def create        (self, funcname, s=None, ttype=None) : pass # Task
    def call          (self, parameters, ttype=None)     : pass # None
    def close         (self, timeout=None, ttype=None)   : pass # mode
```

```
# Advert API Package: saga/advert/advert.py
# =====

# advert flags
OVERWRITE      = 1
RECURSIVE      = 2
DEREFERENCE    = 4
CREATE         = 8
EXCLUSIVE      = 16
LOCK           = 32
CREATE_PARENTS = 64
TRUNCATE       = 128
#             256 # reserved for APPEND
READ           = 512
WRITE          = 1024
READ_WRITE     = 1536
#             2048 # reserved for BINARY

# Advert metrics
ATTRIBUTE      = "attribute"
OBJECT         = "object"
# TTL          = "ttl" # collision

# AdvertDirectory metrics
ATTRIBUTE      = "attribute"
CHANGE         = "change"
CREATE         = "create"
DELETE         = "delete"
TTL            = "ttl"

class Advert (namespace.Entry, attributes.Attributes, task.Async) :
    def set_ttl_self (self, ttl, ttype=None) : pass # None
    def get_ttl_self (self, ttl, ttype=None) : pass # int
    def store_object (self, object, ttype=None) : pass # None
    def retrieve_object (self, ttype=None) : pass # <object>
    def delete_object (self, ttype=None) : pass # None

class AdvertDirectory (namespace.Directory,
    attributes.Attributes, task.Async) :
    def set_ttl_self (self, ttl, ttype=None) : pass # None
    def get_ttl_self (self, ttl, ttype=None) : pass # int
    def set_ttl (self, tgt, ttl, ttype=None) : pass # None
    def get_ttl (self, tgt, ttl, ttype=None) : pass # int
    def find (self, name_pattern, attr_pattern, obj_type,
        flags=RECURSIVE, ttype=None) : pass # [Url]
```

```
# Message API Package: saga/message/message.py
# =====

# message state enum:
OPEN          = 1
CLOSED        = 2

# default for message property enums:
ANY           = 0

# message topology enum:
POINT_TO_POINT = 1
MULTICAST      = 2
PUBLISH_SUBSCRIBER = 3
PEER_TO_PEER   = 4

# message reliability enum:
UNRELIABLE     = 1
CONSISTENT     = 2
SEMI_RELIABLE  = 3
RELIABLE       = 4

# message atomicity enum:
AT_MOST_ONCE   = 1
AT_LEAST_ONCE  = 2
EXACTLY_ONCE   = 3

# message correctness enum:
UNVERIFIED     = 1
VERIFIED       = 2

# message ordering enum:
UNORDERED      = 1
ORDERED        = 2
GLOBALLY_ORDERED = 3

# endpoint attributes:
TOPOLOGY        = "Topology"
RELIABILITY      = "Reliability"
ATOMICITY        = "Atomicity"
CORRECTNESS      = "Correctness"
ORDERING         = "Ordering"

# endpoint metrics:
STATE           = "State"
CONNECT         = "Connect"
CLOSED          = "Closed"
MESSAGE         = "Message"

# message attributes:
ID              = "id"
SENDER         = "sender"
```



```

class Endpoint (monitoring.Monitorable, task.Async) :
    def create      (self, topology      = POINT_TO_POINT,
                      reliability = RELIABLE,
                      atomicity   = EXACTLY_ONCE,
                      ordering    = ORDERED,
                      correctness = VERIFIED
                      session      = None)          : pass # None
    def create      (self, topology      = POINT_TO_POINT,
                      reliability = RELIABLE,
                      atomicity   = EXACTLY_ONCE,
                      ordering    = ORDERED,
                      correctness = VERIFIED
                      session      = None, ttype=None) : pass # None
    def get_url     (self, ttype=None) : pass # Url
    def get_receivers (self, ttype=None) : pass # [Url]
    def serve       (self, n=-1, timeout=-1, ttype=None) : pass # None
    def serve_once   (self, timeout=-1, ttype=None) : pass # Endpoint
    def close        (self, receiver=None, ttype=None) : pass # None

    def send         (self, msg, receivers=None, ttype=None) : pass # None
    def test         (self, sender=None, receiver=None,
                      timeout=-1, ttype=None) : pass # int
    def recv         (self, sender=None, receiver=None,
                      timeout=-1, ttype=None) : pass # Message

    url      = property (get_url)
    receivers = property (get_receivers)

class Message (saga.Attributes) :
    def __init__ (self, data=None, size=-1)          : pass # None
    def get_sender (self)                          : pass # Url
    def get_id     (self)                          : pass # string
    def get_size   (self)                          : pass # int
    def set_size   (self, size)                    : pass # None
    def get_data   (self)                          : pass # string
    def set_data   (self, data)                    : pass # None
    def close      (self)                          : pass # None

    sender = property (get_sender)
    id     = property (get_id)
    size   = property (get_size, set_size)
    data   = property (get_data, set_data)

```

```
# Service Discovery API Package: saga/sd/sd.py
# =====

# ServiceDescription attributes
ATTRIBUTE      = "Url"
OBJECT         = "Type"
UID            = "UID"
SITE           = "Site"
NAME           = "Name"
IMPLEMENTOR    = "Implementor"
RELATED_SERVICES = "RelatedServices" # FIXME: coll. w/ get_related_services ()

class Discoverer (object) :          # FIXME: no async??
    def __init__      (self, url, session=None) : pass # None
    def list_services (self, service_filter, data_filter,
                        authz_filter=None)       : pass # [ServiceDescription]

class ServiceDescription (attributes.Attributes) :
    def get_url      (self)                : pass # Url
    def get_data     (self)                : pass # ServiceData
    def get_related_services (self)        : pass # [ServiceDescription]

    url              = property (get_url)
    data             = property (get_data)
    related_services = property (get_related_services)

class ServiceData (attributes.Attributes) :
    pass
```

```
# Information Service Navigator API Package: saga/isn/isn.py
# =====

class EntityDataSet (object) : # FIXME: no async??
    def __init__      (self, model, name, filter,
                        url=None, session=s) : pass # None
    def get_data      (self)                : pass # [EntityData]
    def get_related_entities (name, filter=None) : pass # EntityDataSet
    def list_related_entity_names
                        (self)              : pass # [string]

class EntityData (attributes.Attributes) :
    pass
```